## Sample results. Actual results may vary.

PATIENT INFORMATION

SPECIMEN INFORMATION

SPECIMEN: DOB:
REQUISITION: AGE:
LAB REF NO: GENDER:
FASTING:

COLLECTED:
RECEIVED:
REPORTED:

Clinical Info:

REPORT STATUS: FINAL

ORDERING PHYSICIAN



www.accesalabs.com/celiac

Test Name		Result	Flag	Reference	Range Lab
FASTING: UNK	NOWN				
GLUTEN (F79) IGE					
GLUTEN (F79) IGE		<0.35		kU/L	IG
CLASS		0			IG
INTERPRETATION					
INTERPRETATION					IG
Specific		Level of Aller	gen		
IGE Class	kU/L	Specific IGE A	ntibody		

Specific		Level of Allergen
IGE Class	kU/L	Specific IGE Antibody
0	<0.35	Absent/Undetectable
1	0.35-0.70	Low Level
2	0.71-3.50	Moderate Level
3	3.51-17.5	High Level
4	17.6-50	Very High Level
5	51-100	Very High Level
6	>100	Very High Level

Allergens denoted with a "\*\*" include results using one or more analyte specific reagents. In those cases, the test was developed and its performance characteristics determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance is not necessary. Performance characteristics refer to the analytical performance of the test.

Performing Laboratory Information: