

Sample results. Actual results may vary.

PATIENT INFORMATION

REPORT STATUS: FINAL

ORDERING PHYSICIAN

CLIENT INFORMATION



Order Today

www.accesalabs.com/toxin

SPECIMEN INFORMATION

SPECIMEN:

REQUISITION:

LAB REF NO:

DOB:

AGE:

GENDER:

FASTING:

Clinical Info:

COLLECTED:

RECEIVED:

REPORTED:

Test Name	Result	Flag	Reference Range	Lab
CYTOMEGALOVIRUS ANTIBODY (IGG)				
CYTOMEGALOVIRUS ANTIBODY (IGG)	< OR = 0.90			01
	Value	Interpretation		
	-----	-----		
	< or = 0.90	Negative		
	0.91-1.09	Equivocal		
	> or = 1.10	Positive		

A positive result indicates that the patient has antibody to CMV. It does not differentiate between an active or past infection.

CYTOMEGALOVIRUS ANTIBODY (IGM)				
CYTOMEGALOVIRUS ANTIBODY (IGM)	<0.2			01
	Value	Interpretation		
	-----	-----		
	< or = 0.8	No Antibody Detected		
	0.9 - 1.0	Equivocal		
	> or = 1.1	Antibody Detected		

Results from any one IgM assay should not be used as a sole determinant of a current or recent infection. Because an IgM test can yield false positive results and low level IgM antibody may persist for more than 12 months post infection, reliance on a single test result could be misleading. Acute infection is best diagnosed by demonstrating the conversion of IgG from negative to positive. If an acute infection is suspected, consider obtaining a new specimen and submit for both IgG and IgM testing in two or more weeks.

Performing Laboratory Information: