

Sample results. Actual results may vary.

PATIENT INFORMATION

REPORT STATUS: FINAL

ORDERING PHYSICIAN

CLIENT INFORMATION



Order Today

www.accessalabs.com/toxin

SPECIMEN INFORMATION

SPECIMEN:

DOB:

REQUISITION:

AGE:

LAB REF NO:

GENDER:

FASTING:

COLLECTED:

Clinical Info:

RECEIVED:

REPORTED:

Test Name	Result	Flag	Reference Range	Lab
FASTING: UNKNOWN				
HELICOBACTER PYLORI AG, EIA, STOOL				MI
HELICOBACTER PYLORI AG, EIA, STOOL				
HELICOBACTER PYLORI AG, EIA, STOOL				
MICRO NUMBER:	40243397			
TEST STATUS:	FINAL			
SPECIMEN SOURCE:	STOOL			
SPECIMEN QUALITY:	ADEQUATE			
RESULT:	Not Detected			
Antimicrobials, proton pump inhibitors, and bismuth preparations are known to suppress H. pylori, and ingestion of these prior to H. pylori diagnostic testing may lead to false negative results. If clinically indicated, the test may be repeated on a new specimen obtained two weeks after discontinuing treatment.				

Performing Laboratory Information: