

Sample results. Actual results may vary.

PATIENT INFORMATION

REPORT STATUS: FINAL

ORDERING PHYSICIAN

CLIENT INFORMATION



Order Today

www.accessalabs.com/allergy

SPECIMEN INFORMATION

SPECIMEN:

DOB:

REQUISITION:

AGE:

LAB REF NO:

GENDER:

FASTING:

COLLECTED:

Clinical Info:

RECEIVED:

REPORTED:

Test Name	Result	Flag	Reference Range	Lab
SHRIMP (F24) IGE				
SHRIMP (F24) IGE	<0.10		kU/L	01
CLASS	0			01
INTERPRETATION				
INTERPRETATION				01

Specific IGE Class	kU/L	Level of Allergen Specific IGE Antibody
0	<0.10	Absent/Undetectable
0/1	0.10-0.34	Very Low Level
1	0.35-0.69	Low Level
2	0.70-3.49	Moderate Level
3	3.50-17.4	High Level
4	17.5-49.9	Very High Level
5	50-100	Very High Level
6	>100	Very High Level

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

Allergens denoted with a "***" include results using one or more analyte specific reagents. In those cases, the test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Performing Laboratory Information: